



Essential amino acid mixture indicated for the dietary treatment of urea cycle disorders.

- » **INDICATIONS** For dietary treatment of children from the first year of age to adults, with a known urea cycle disorder.
- » **DOSAGE AND ADMINISTRATION** Following the doctor's prescription, taking into account age, body weight, and clinical conditions of the patient. Dilution recommended at 5% w/v (5 g of reconstituted product at 100 ml per 100 ml of liquid).
- » **INSTRUCTIONS FOR USE** Take the prescribed quantity of UCD Medi 2, divided in 3-4 daily doses, dissolved in water or other allowed cold liquids, even flavored or added to food.
- » **STORAGE CONDITIONS** After use, close the container properly and store in a cool and dry place, away from light and sources of direct heat. The expiry date refers to the product correctly stored in its intact package.
- » **IMPORTANT WARNINGS** UCD Medi 2 must be used under medical supervision, by individuals with known urea cycle disorder. UCD Medi 2 cannot be used as the only source of food. The product can result in health risks if taken by individuals that do not have the specific disorder for which it is indicated. Keep out of the reach of children.

## NUTRITIONAL INFORMATION

food for special medical purposes

	per 100 g of powder	per 100 ml reconstituted at 5% (5 g in 100 ml of liquid)
Energy kJ/kcal	1416/333	71/17
Fats	0.0 g	0.0 g
of which saturated fatty acids	0.0 g	0.0 g
Carbohydrates	0.0 g	0.0 g
of which sugars	0.0 g	0.0 g
Protein equivalent	83.3 g	4.2 g
Salt	0.0 g	0.0 g

## AMINO ACIDS

L-Leucine	18.08 g	904.0 mg
L-Valine	14.20 g	710.0 mg
L-Lysine	12.90 g	645.0 mg
L-Threonine	10.40 g	520.0 mg
L-Isoleucine	10.10 g	505.0 mg
L-Tyrosine	9.40 g	470.0 mg
L-Phenylalanine	6.10 g	305.0 mg
L-Histidine	3.80 g	190.0 mg
L-Methionine	3.60 g	180.0 mg
L-Cystine	3.50 g	175.0 mg
L-Tryptophan	2.30 g	115.0 mg
L-Carnitine	0.30 g	15.0 mg